

Review Article

Premenstrual Syndrome: A Holistic Homoeopathic Approach

Swati Rai¹, Rohit Yadav², Mayuri Tamrakar¹, Naina Temle¹


¹ R N Kapoor Memorial Homoeopathic Hospital & Medical College, Indore

² Index Homoeopathic College, Hospital and Research Centre, Indore

ABSTRACT

Premenstrual Syndrome (PMS) is a group of physical, emotional, and behavioral symptoms occurring before menstruation. A holistic homoeopathic approach focuses on treating the individual as whole rather than just symptoms. It considers mental, emotional, and physical aspects of the patient. Remedies are selected based on individual symptom patterns and constitution. Common medicines include Sepia, Pulsatilla, Lachesis, and Cimicifuga. Lifestyle modifications like balanced diet, exercise, and stress management are emphasized. Dietary advice includes reducing caffeine, salt, and processed foods. Emotional support and counseling play an important role in management. Homoeopathy aims to restore hormonal balance naturally without side effects. Overall, it provides a safe, personalized, and long-term solution for PMS management.

Keywords: PMS, Homoeopathy, Pulsatilla



QR Code for Mobile Users

(Received 22nd April 2026; Accepted 1st May 2026; Published 5th May 2026) ISSN: 2347-8136 ©2026 JMPI

Address for Correspondence:

Dr. Swati Rai

Assistant professor, Department of Surgery,
R N Kapoor Memorial Homoeopathic Hospital &
Medical College, Indore

Email: raibpl@gmail.com

Conflict of Interest: None Declared!

INTRODUCTION:

Premenstrual Syndrome (PMS) is a group of symptoms that occur in the days or weeks before the onset of menstruation, usually during the luteal phase of the menstrual cycle (after ovulation and before bleeding starts). These symptoms can affect a woman's emotional well-being, physical health, and daily functioning. They typically resolve once menstruation begins or shortly afterward.

Nature of Symptoms: PMS symptoms are broadly divided into psychological (mental) and physical types:

Psychological symptoms: These affect mood and behavior. Common features include:

- Irritability or increased sensitivity
- Mood swings (sudden changes from happiness to sadness or anger)
- Anxiety or tension

- Depressive feelings or low mood
- Difficulty concentrating
- Social withdrawal or reduced interest in activities

Some women may experience only psychological symptoms, while others have a combination of both mental and physical complaints.

Physical symptoms: These involve bodily discomfort and may include:

- Breast tenderness or swelling (mastalgia)
- Headache or migraine
- Abdominal bloating and weight gain due to fluid retention
- Gastrointestinal disturbances like constipation or diarrhea
- Acne or skin changes
- Fatigue or low energy
- Muscle or joint pain

The severity and combination of symptoms vary widely among women. Not every woman experiences all symptoms; typically, a few symptoms are more prominent in each individual.

Pattern and Timing

- Symptoms usually begin 5–10 days before menstruation.
- They tend to worsen as menstruation approaches.
- Symptoms disappear shortly after the onset of menstrual bleeding.
- This cyclical pattern is a key feature that distinguishes PMS from other conditions like depression or anxiety disorders.

Impact on Daily Life

PMS can significantly affect:

- Personal and family relationships (due to irritability and mood changes)
- Work or academic performance (due to poor concentration and fatigue)
- Social interactions and overall quality of life

In some women, symptoms are mild, while in others they can be severe enough to interfere with normal functioning.

Possible Causes

The exact cause of PMS is not fully understood, but several factors are believed to contribute:

a) Hormonal fluctuations:

- PMS is closely linked to changes in estrogen and progesterone levels during the menstrual cycle.
- These hormonal shifts can influence brain chemicals and body systems, leading to symptoms.

b) Neurotransmitter imbalance:

- A decrease in serotonin, a neurotransmitter responsible for mood regulation, is thought to play a major role.
- Low serotonin levels may cause mood swings, irritability, and depression.

c) Other contributing factors:

- Genetic predisposition
- Stress and emotional factors
- Nutritional deficiencies (e.g., vitamin B6, magnesium)

- Lifestyle habits (poor diet, lack of exercise, inadequate sleep)
- Increased sensitivity to normal hormonal changes

Individual Variation

Each woman experiences PMS differently:

- Some may have mainly emotional symptoms
- Others may have predominantly physical complaints
- The same woman may even experience variation in symptoms from one cycle to another

Resolution

A defining characteristic of PMS is that:

- Symptoms improve rapidly after menstruation starts
- There is a symptom-free period after menstruation until the next cycle begins

In summary, PMS is a cyclical condition characterized by a combination of emotional and physical symptoms that occur before menstruation due to hormonal and neurotransmitter changes. Although common, its intensity and impact vary greatly among individuals.

Many different symptoms have been identified, and various tools are used to diagnose PMS and its more severe form, premenstrual dysphoric disorder (PMDD). PMS can have a significant impact on daily life, affecting personal relationships and routine activities. In about 20–25% of women, symptoms are severe enough to require treatment.

Treatment approaches focus either on suppressing ovulation or on managing the specific symptoms that cause the most discomfort. Selective serotonin reuptake inhibitors (SSRIs) are effective for severe PMS, and certain combined oral contraceptives may also help. However, these treatments can have side effects such as nausea, insomnia, irregular bleeding, fatigue, breast pain, and reduced libido, which may lead some women to stop treatment.

As a result, many women explore alternative therapies like homeopathy, acupuncture, and cognitive-behavioral therapy. Recent studies also suggest that some herbal remedies,

vitamins, fatty acids, and minerals may help reduce PMS symptoms.

Holistic homeopathic approach

A **holistic homeopathic approach to Premenstrual Syndrome (PMS)** focuses on treating the *individual as whole rather than just suppressing symptoms*. In homeopathy, PMS is seen as a manifestation of imbalance in the body's physical, emotional, and hormonal systems. The goal is to restore harmony and improve overall well-being.

1. Basic Principles of Homeopathic Management

a) Individualization (Constitutional Treatment): No two women experience PMS in the same way. Homeopathy selects remedies based on:

- Physical symptoms (pain, bloating, fatigue)
- Emotional state (irritability, depression, anxiety)
- Personality traits (sensitivity, anger, weepiness)
- Modalities (what makes symptoms better or worse)

b) Law of Similars (“Like cures like”):

A substance that can produce symptoms in a healthy person is used in diluted form to treat similar symptoms in a patient.

c) Minimum Dose:

Remedies are given in highly diluted doses to stimulate the body's natural healing response without causing side effects.

2. Holistic Assessment of PMS

A homeopathic physician evaluates:

- Menstrual history (cycle regularity, flow, pain)
- Mental and emotional profile
- Lifestyle, stress levels, sleep patterns
- Diet and cravings/aversions
- Family and medical history

This detailed case-taking helps identify the *constitutional remedy*.

3. Common Homeopathic Remedies for PMS

Remedies are selected based on symptom patterns, not just diagnosis:

BOVISTA

Bovista is especially useful in PMS cases marked by fluid imbalance, puffiness, and lack of coordination. The patient often feels “swollen” both physically and functionally.

Physical Symptoms:

- Marked **puffiness of hands, feet, and face** before menstruation
- **Water retention** leading to a heavy, bloated sensation
- Feeling as if the body is **enlarged or tight**
- **Diarrhea just before or during menses** (a key guiding symptom)
- Skin may feel stretched; sometimes associated with eruptions or acne

Functional / Neuromuscular Features:

- **Clumsiness and awkwardness**— frequently dropping objects
- Hands feel swollen or enlarged, leading to poor grip
- Difficulty performing fine motor tasks

Mental & Emotional Features:

- Absent-mindedness or lack of focus
- A general sense of discomfort in one's body

Modalities (What affects symptoms):

- Symptoms often worsen **before menstruation**
- Relief may come after the onset of menstrual flow

Keynote Indications:

- PMS with **bloating + clumsiness + diarrhea around menses**
- Sensation of **fullness or swelling** in extremities

CALCAREA CARBONICA

Calcarea carbonica suits individuals with **slow metabolism, hormonal imbalance, and low stamina**, often accompanied by anxiety and physical sluggishness.

Physical Symptoms:

- **Extreme fatigue** before menses; easily exhausted
- **Water retention and weight gain**, especially around abdomen
- **Breast tenderness and swelling**
- Digestive issues: **bloating, acidity, constipation or loose stools**
- **Headaches**, often due to hormonal fluctuations

- Menstrual pattern:
 - Periods come **too early (short cycles)**
 - Flow is **prolonged and heavy**, often **bright red**

General Constitution:

- Feels **cold easily (chilly patient)**
- **Cold, clammy hands and feet**
- Tendency toward **obesity or weight gain**
- Sweating, especially on head or neck

Mental & Emotional Features:

- **Anxiety and insecurity**, especially about health or responsibilities
- Feeling **overwhelmed** by daily tasks
- Slow thinking, lack of confidence
- May be hardworking but easily fatigued

Food Cravings:

- Strong desire for **sweets and eggs**
- Sometimes craving indigestible things (like chalk in some cases)

Modalities:

- Worse from **cold, exertion, and stress**
- Better with **rest and warmth**

Keynote Indications:

- PMS with **fatigue + anxiety + early, heavy periods**
- Associated with **chilliness, weight gain, and cravings**

LACHESIS

Lachesis is suited to women with intense emotional and physical expression, where symptoms build up before menstruation and are relieved once the flow begins. There is a sense of inner pressure needing release.

Physical Symptoms:

- **Congestion and fullness**, especially in head and pelvis
- **Throbbing headaches**, often left-sided
- **Hot flushes**, heat waves, and flushing of face
- **Heavy menstrual flow**, which brings noticeable relief
- Sensation of tightness or pressure in body

Key Modalities:

- **Worse before menstruation**
- **Better after the onset of menstrual flow** (very characteristic)

- Cannot tolerate **tight clothing**, especially around:
 - Neck (collars, scarves)
 - Waist (belts, tight garments)

Mental & Emotional Features:

- **Highly talkative**, expressive, and mentally active
- **Irritability and anger**, often intense and outspoken
- **Jealousy, suspicion, or mistrust** in relationships
- Emotional tension that feels like it must be “released”
- May shift rapidly between emotions

General Characteristics:

- Tends to feel **hot**, prefers cool environments
- Symptoms often begin on the **left side** or move left to right

Keynote Indications:

- PMS with **intense irritability + heat + congestion before menses**
- Marked **relief after bleeding starts**
- Strong **intolerance to tight clothing**

LYCOPODIUM

Lycopodium is indicated in PMS with **digestive disturbances, hormonal delay, and emotional insecurity masked by irritability.**

Physical Symptoms:

- **Abdominal bloating and flatulence**, even after small meals
- Feeling of fullness, especially in lower abdomen
- **Craving for sweets** and strong appetite
- Sometimes **bulimic tendencies** (overeating episodes)
- Menstrual pattern:
 - **Delayed periods**
 - Followed by **heavy and prolonged flow**

Time Modalities:

- Symptoms are **worse in the late afternoon and evening (4–8 PM)**
- Energy and mood decline during this period

Mental & Emotional Features:

- **Low self-confidence**, fear of failure
- Appears **worried or anxious**, often with a serious expression

- Can be **irritable, bossy, or dominating** toward close people (family, subordinates)
- Internally insecure but externally controlling

Social Behavior:

- **Desire for solitude**, but not complete isolation
- Prefers someone nearby (e.g., “in the next room”) for emotional security

General Characteristics:

- Right-sided complaints are more common
- Sensitive digestion; symptoms aggravated by certain foods

Keynote Indications:

- PMS with **bloating + sweet cravings + delayed but heavy periods**
- Emotional pattern of **low confidence + irritability at home**
- Symptoms worse in **evening hours**

NATRUM MURIATICUM

Natrum muriaticum suits individuals with **deep, suppressed emotions**, especially grief or sadness that is not expressed openly.

Mental & Emotional Features:

- Appears **reserved, quiet, and self-contained**
- Feels **intensely emotional inside**, with sadness or loneliness
- **Dislikes consolation**—may become irritated or angry if comforted
- Tendency to **cry alone in private**
- Easily hurt by small issues; may hold grudges

Physical Symptoms:

- PMS associated with **depression, irritability, and emotional withdrawal**
- **Migraine headaches**, often linked with menstrual cycle
- **Backache** that improves by:
 - Lying on a hard surface
 - Pressing against something firm

General Characteristics:

- Strong **craving for salty foods**
- **Increased thirst**
- Symptoms worsen from **sun exposure (sunlight aggravates headaches)**

Keynote Indications:

- PMS with **silent grief + aversion to sympathy + migraines**
- Desire for **solitude to express emotions**

PULSATILLA

Pulsatilla is a classic remedy for hormonal imbalance with emotional sensitivity and dependency. It is especially helpful in young girls or women with irregular cycles.

Mental & Emotional Features:

- **Weepy, emotional, and easily moved to tears**
- Seeks **comfort, reassurance, and attention**
- Mood is **changeable and unpredictable**
- Gentle, mild, and affectionate personality

Physical Symptoms:

- **Delayed or suppressed menstruation**
- PMS with **nausea, dizziness, or faintness**
- Variable menstrual flow:
 - Sometimes scanty, sometimes heavy
 - Timing is irregular

Modalities:

- **Worse in warm, stuffy rooms**
- **Better in fresh, open air**
- Often feels uncomfortable in heat

General Characteristics:

- Usually **low thirst** (unlike Natrum mur)
- Symptoms are **changeable**, just like emotions

Keynote Indications:

- PMS with **weepiness + need for affection + irregular periods**
- Relief in **fresh air**, aggravation in warmth

SEPIA

Sepia is one of the **most important remedies for PMS**, especially when there is **hormonal imbalance with emotional detachment and exhaustion**.

Mental & Emotional Features:

- **Extreme irritability**, especially before menstruation

- **Indifference or aversion** toward family and loved ones
- Does not want to engage in **mental or physical work**
- Feels emotionally **drained or disconnected**

Physical Symptoms:

- **Bearing-down sensation** in uterus (as if everything will fall out) — a key symptom
- **Irregular menstrual cycles**
- Fatigue and weakness before periods
- May have pelvic congestion or discomfort

General Characteristics:

- Often feels **better with vigorous exercise or activity**
- May prefer to be alone and avoid interaction
- Can have a **dragging sensation in pelvic region**

Keynote Indications:

- PMS with **irritability + indifference + pelvic bearing-down pain**
- Associated with **menstrual irregularities and exhaustion**

VERATRUM ALBUM

Veratrum album is indicated in PMS cases with **extreme weakness, collapse-like states, and excessive menstrual flow**, often accompanied by marked coldness.

Physical Symptoms:

- **Very heavy menstrual bleeding** with intense cramping
- **Profound exhaustion and weakness**, sometimes to the point of collapse
- Sensation of **icy coldness**, especially in hands, feet, and body
- **Vomiting and diarrhea** during menstruation (important keynote)
- Periods may:
 - Start **too early**
 - Last **longer than normal**

Modalities:

- **Worse at night**
- Worse from **physical exertion (exercise)**
- Worse after **warm drinks**
- **Better from:**
 - Cold drinks
 - Small quantities of food

- Being well covered with **warm clothes or blankets**

Mental & Emotional Features:

- May show **restlessness with weakness**
- Sometimes anxiety or irritability due to physical discomfort

Keynote Indications:

- PMS with **heavy flow + collapse-like weakness + coldness + vomiting/diarrhea**

CAULOPHYLLUM

Caulophyllum is particularly useful in women with uterine weakness and irregular menstrual function, often linked with reproductive difficulties. Physical

Symptoms:

- **Irregular menstrual cycles**
- **Heavy bleeding** or abnormal discharge
- **Cramping or drawing pains** in:
 - Pelvic region
 - Thighs and legs
- Weak uterine tone leading to:
 - **Difficult conception**
 - **Slow or ineffective labor pains**

Associated Features:

- **Joint stiffness**, especially in small joints (like fingers)
- Rheumatic or arthritic tendencies

General Characteristics:

- Symptoms may be associated with **muscular weakness**, especially in reproductive organs

Keynote Indications:

- PMS with **uterine weakness + irregular periods + radiating pelvic pains**
- History of **reproductive difficulties or weak labor pains**

CHAMOMILLA

Chamomilla is suited to individuals with **extreme irritability and hypersensitivity to pain**, where emotional upset strongly aggravates symptoms.

Mental & Emotional Features:

- **Very irritable, angry, and impatient**
- Cannot tolerate pain—**oversensitive to discomfort**

- Symptoms often triggered or worsened by **emotional stress or anger**

Physical Symptoms:

- **Severe cramping pains** during menstruation
- Pain may feel unbearable or out of proportion
- **Heavy menstrual flow**, often:
 - **Dark in color**
 - May contain **clots**

Modalities:

- **Worse at night**
- Worse from **heat** (e.g., heating pads) or **wind exposure**
- **Better from movement**, such as:
 - Walking
 - Rocking

General Characteristics:

- Restlessness due to pain
- May appear demanding or difficult due to irritability

Keynote Indications:

- PMS with **intense irritability + hypersensitivity to pain + heavy, dark flow**

CIMICIFUGA RACEMOSA (*Actaea racemosa*)

This remedy is especially useful for PMS with muscular and uterine cramps, often associated with nervous tension and sensitivity to weather changes.

Physical Symptoms:

- **Severe cramping pains** in uterus and pelvic region
- Pain may radiate to **back, hips, or thighs**
- Symptoms aggravated by **cold and damp (humid) weather**
- Menstrual irregularities with painful flow

Mental & Emotional Features:

- **Emotional instability**, anxiety, or gloominess
- May feel **nervous, restless, or fearful**
- Tendency toward **depressive thoughts**

Keynote Indications:

- PMS with **spasmodic uterine pain + worse in cold/damp conditions**

KREOSOTUM

Kreosotum is indicated where PMS involves **irritating, offensive discharges and marked genital sensitivity**, along with irritability.

Physical Symptoms:

- **Heavy menstrual flow** causing **irritation, burning, or swelling** of genital area
- **Headache and nausea** associated with menses
- Discharges may feel **corrosive or excoriating** (irritating to skin)

Mental & Emotional Features:

- **Irritability and discomfort**, often with restlessness
- **Aversion to sexual activity**

General Characteristics:

- Symptoms may feel intense and distressing due to local irritation

Keynote Indications:

- PMS with **heavy, irritating flow + genital soreness + nausea**

LILIUM TIGRINUM

Lilium tigrinum is suited for PMS with intense emotional irritability and pelvic pressure, especially with a feeling of something “coming down.”

Physical Symptoms:

- **Bearing-down sensation** in uterus (as if it will protrude)
- Pressure in **pelvic region and rectum**
- Frequent urge to:
 - Sit
 - Cross legs for relief

Mental & Emotional Features:

- **Extreme irritability or rage**
- **Highly sensitive to others' behavior**
- Others may feel they must “walk on eggshells”
- Emotional excitement worsens symptoms

Modalities:

- **Worse from emotional stress or excitement**
- **Better in fresh air**

Keynote Indications:

- PMS with **rage + pelvic pressure + urge to support pelvic organs**

NUX VOMICA

Nux vomica is ideal for PMS in women with a **driven, irritable personality and lifestyle-related aggravations.**

Mental & Emotional Features:

- **Impatient, irritable, and easily angered**
- **Highly competitive, work-driven, or stressed**
- Intolerant of contradictions or delays

Physical Symptoms:

- **Irregular and painful menstruation**
- **Constipation** with frequent urge but incomplete evacuation
- Urge to pass stool **before menstruation begins**
- **Cramping pains** radiating to rectum or lower back (tailbone area)

Aggravating Factors:

- **Mental strain and stress**
- **Overeating or stimulants:**
 - Coffee
 - Alcohol
 - Spicy or rich food
- Lack of sleep or sedentary habits

General Characteristics:

- Feels **chilly** and sensitive to cold
- **Better with warmth and rest**

Keynote Indications:

- PMS with **irritability + digestive issues + lifestyle-related triggers**

Summary of homoeopathic drugs

- **Bovista** is ideal for PMS with bloating, swelling, clumsiness, and diarrhea around menstruation.
- **Calcarea carbonica** is suited for PMS with fatigue, anxiety, early heavy periods, chilliness, and metabolic sluggishness.
- **Lachesis** is ideal for PMS with emotional intensity, heat, congestion, and relief after menstruation begins, along with intolerance to tight clothing.
- **Lycopodium** is best suited for PMS with digestive issues, bloating, sweet cravings, delayed periods, and underlying lack of confidence masked by irritability.
- **Natrum muriaticum**: Best for PMS with suppressed emotions, sadness,

migraines, and aversion to consolation.

- **Pulsatilla**: Ideal for emotional, weepy individuals with irregular periods and relief in fresh air.
- **Sepia**: A leading remedy for PMS with irritability, indifference, fatigue, and characteristic bearing-down pelvic pain.
- **Veratrum album**: Best for PMS with extreme weakness, heavy bleeding, coldness, and gastrointestinal symptoms.
- **Caulophyllum**: Suitable for uterine weakness, irregular cycles, and radiating pelvic pains, often with reproductive history issues.
- **Chamomilla**: Ideal for PMS with severe irritability, hypersensitivity to pain, and heavy, dark menstrual flow.
- **Cimicifuga racemosa**: Best for **cramping PMS aggravated by cold and damp conditions**, with emotional sensitivity.
- **Kreosotum**: Suitable for **heavy, irritating menstrual flow causing genital discomfort**, with nausea and irritability.
- **Lilium tigrinum**: Ideal for **intense emotional irritability and pelvic bearing-down sensation.**
- **Nux vomica**: Indicated in **irritable, stressed individuals with digestive complaints and irregular menstruation.**

CONCLUSION: HOLISTIC HOMOEOPATHIC APPROACH TO PMS

The holistic homoeopathic approach to Premenstrual Syndrome (PMS) focuses on **treating the individual as a whole**, rather than just the symptoms.

- **Individualization**: Treatment is based on each woman's unique combination of physical, emotional, and behavioral symptoms. No single remedy suits all cases.
- **Mind-Body Balance**: Equal importance is given to **mental symptoms** (irritability, depression,

anxiety) and **physical symptoms** (pain, bloating, fatigue).

- **Constitutional Treatment:** Remedies are selected according to the person's overall personality, lifestyle, and hormonal pattern, aiming at long-term balance.
- **Gentle Healing:** Highly diluted medicines stimulate the body's natural healing mechanism with minimal side effects.

- **Lifestyle Integration:** Proper diet, regular exercise, stress management, and emotional support are essential parts of treatment.

The holistic homoeopathic approach aims to **restore hormonal harmony, emotional stability, and overall well-being**, providing long-lasting relief from PMS rather than temporary symptom control.

REFERENCES

1. Materia Medica of Homoeopathic Medicines
2. A Textbook of Materia Medica
3. Lectures on Homoeopathic Materia Medica
4. Keynotes and Characteristics with Comparisons
5. Organon of Medicine
6. Essentials of Homoeopathic Therapeutics
7. Gynaecology and Obstetrics in Homoeopathy
8. Clinical Materia Medica
9. Cochrane Library
10. World Health Organization
11. Information on complementary and alternative medicine including homoeopathy.